



*SV8 Lite*

STEAM & VACUUM

# ACCESSORIES GUIDE



## PRODUCT DESCRIPTION, SAFETY & MAINTENANCE

### SV8 LITE STEAM & VACUUM MACHINE

The SV8 Lite steam cleaner is a highly featured compact and light weight commercial steam and vacuum cleaner. It boasts 8 Bar of steam pressure with an integrated wet and dry vacuum ensuring a professional level clean every time. This is an entry level commercial steam cleaner that has the power and features required for most small commercial steam cleaning tasks for home and office cleaning. It's compact size and superior performance make the SV8 Lite a popular choice from our range for mobile cleaners.

The SV8 Lite permits cleaning and sanitising without the need to use chemicals. Steam cleaning is hygienic and helps us reduce our water and chemical consumption making us more environmentally responsible. High temperature steam removes dirt, kills bacteria and dust mites. It can be used on many different of surfaces including: ceramic floor tiles, stone floors, parquet flooring, vinyl floors, carpets, rugs, wooden ceilings, wall paper, windows, mirrors, sanitary ware, taps, cooking surfaces, ovens, grills, radiators, window and door frames, furniture, fireplaces, cars, seats etc. Steam can be generated continuously by topping up the water tank.

Dry Steam Cleaning is different to traditional cleaning methods. The SV8 Lite produces steam at over 170° in the boiler, this temperature drops off to around 130° at the nozzle allowing to kill up to 99.999% of bacteria and viral agents including mould, dust mites and bed bugs. Only using minimal water, this superheated dry steam has a moisture content of only 5%. This allows to deep clean below the surface and effectively lift built up dirt and grime while sanitising surfaces and reduces the amount of "elbow grease" required.

### SAFETY PRECAUTIONS

Carefully read all the safety warnings and precautions in the User Manual before operation as they provide important information for the safe assembly, use and maintenance of the steam generator. This appliance must only be used in accordance with the instructions as stated in the User Manual.

The steam stream produced by the steam machine is incredibly hot, over 100°. It is important to understand that this machine produces dry steam. This means the temperature drops off dramatically from the nozzle. To sanitise surfaces you must have contact with the surface within 5-10cm range of the nozzle. You can pass your hand safely through the steam stream a 30cm distance as the steam is then cold and therefore ineffective.

### ACCESSORY MAINTENANCE

It is recommended that you visually inspect your accessories prior to use. It is important to ensure that your hose and accessories are all in good condition before use. You should ensure all locking clips are undamaged, the flexible hose is in good condition and all O-rings are present. O-rings can be found on some accessories, all extensions and both ends of the hose. If you notice steam leaking from some accessories, check the O-rings from the area where the hose/accessories connection leaks steam. Replace the O-rings if needed.



### COMPONENTS

1. Carry Handle
2. Transparent Vacuum Tank Cover
3. Water Tank Cap
4. Wheels
5. Display Lights
6. Boiler ON/OFF Switch
7. Mains ON/OFF Switch
8. Steam Hose Socket

# ACCESSORIES GUIDE

## SV8 LITE



PRODUCT CODE		PRODUCT DESCRIPTION		PRODUCT CODE		PRODUCT DESCRIPTION	
<b>Included Accessories</b>		<b>Included Accessories</b>		<b>Optional Accessories</b>		<b>Optional Accessories</b>	
1	AC8000137	Hose S/V 2.5m		-	AC8000411	Trolley Grey	
2	AE0000011	Extension Tubes S/V 500mm		22	AC8000045	Hose S/O suits S/V 2.5m	
3	AC8000034	Floor Tool S/V 300mm		-	AC8000043	Hose S/O suits S/V 5m	
4	AC8000025	Insert Dual Squeegee 300mm		23	AC8000067	Upholstery Tool 110mm	
5	AC0000012	Insert Carpet Glider 300mm		24	AC8000041	Adapter S/V to S/O	
6	AC8000026	Insert Bristled 300mm		25	AC8000065	S/O Aluminium Long Nozzle	
7	AC8000027	Suction Tool S/V 150mm		26	AC8000040	Mop Head Wall 250mm	
8	AC8000028	Insert Window Squeegee 150mm		27	AC0020001	Microfibre Mop Pad Wall 250mm	
9	AC8000030	Insert Bristled 150mm		28	AC8000016	Mop Head Floor 390mm	
10	AC8000029	Insert Window Squeegee 250mm		29	AC0020012	Microfibre Mop Pad Floor 390mm	
11	AC0020004	Microfibre Sockete Small		30	AC8000124	Deluxe Iron + Silicone Rest	
12	AC8000023	Nozzle S/V Detail		31	AC8000061	Triangle Brush Red Bristles	
13	AC8000024	Nozzle S/V Detail w/ Extension		32	AC0030002	Triangular Cushion	
14	AC0050001	Nozzle Vac Horizontal		33	AC8000005	Brush Rectangular S/O Floor 300mm	
15	AC0050002	Nozzle Vac Vertical		34	AC0030001	Cushion Rectangular 300mm White	
16	AC0000009	Scraper		35	AC8000004	Plunger	
17	AC0010022	Brush Round Nylon 30mm		36	AC0000021	Weed Killer Bell	
18	Ac0010023	Brush Round Stainless Steel 30mm		37	AC0010020	Brush Round Brass 30mm	
19	AC0010001	Brush Round Nylon 60mm		-	AC0010024	Brush Round Brass 38mm	
20	AI0000019	Bottle with Non-Spill Cap 800ml		38	AC0010025	Brush Round Stainless Steel 38mm	
21	AC0000003	Anti-limestone Spray 50ml		39	AC0010021	Brush Round Nylon 38mm	
-	TO3300002	Tool Boiler Drain Nut		40	AC8000165	Aroma Therapy Oil Diffuser	
				41	SAMFW10	Premium Cleaning Cloth 10pk	
				42	SA315BOX /SA315	50 pk Disposable Microfibre /Carton (12x50)	
				43	SA315-20PKT /SA315-20	20 pk Disposable Microfibre /Carton (28x20)	
				44	SA318PKT /SA318	Disposable Floor Pads 25 pk /Carton (4x25)	
				45	Bag-Accessories	Steam Australia Accessories Bag	
				46	101A	101A 1L Degreaser Concentrate	
				47	101B	101B 5L Degreaser Concentrate	
				48	101D	101D 15L Degreaser Concentrate	

## TOOLS REQUIRED



AE0000011



AC8000034



AC8000025  
SQUEEGEE INSERT



AC8000012  
CARPET GLIDER



AC8000026  
BRISTLES INSERT



AC0020005

# FLOOR TOOL

## INCLUDED

### For hard surfaces such as:

- Tiles
- Marble
- Most sealed hardwood
- Linoleum & Vinyl - Carpets
- Non-slip surfaces

### For sanitising soft surfaces such as:

- Carpet
- Mattresses
- Upholstery

The S/V Floor tool is a multi purpose tool with multiple inserts for cleaning a range of surfaces. Simply rotate the grey dials to lock and unlock tool. For most hard floor areas, the squeegee insert is recommended. This allows for easy vacuuming on hard surfaces such as, tiles and grout, non slip surfaces, marble and concrete. For hardwood floors use the bristled insert for a softer finish. For carpeted areas, use the carpet slider.

Using the squeegee insert, firstly use high steam pressure to release dirt off the surface. This will bring dirt, oils and grime to a solution form (fig. 1 & 2). Then, disengage the steam and turn on the vacuum to vacuum the floor dry of all residue (fig. 3). Repeat where necessary.

For tricky to remove dirt and grime, pre-spray with a mild detergent, switch on steam, loosen grime, then vacuum until surface is clean & almost dry.

When using with carpets, use carpet glider insert. Set steam to medium and vacuum level to high (fig.4 ).

To sanitise mattresses and upholstery you can adapt the floor tool into a steam pad by fitting the large microfibre sockette (Optional). This creates a super-heated steam pocket to effectively sanitise carpets, upholstery & mattresses (fig.5 & 6).

**Caution:** When switching inserts, tool may be hot. When microfibre is being used, it retains more moisture and traps the heat. This super-heated steam pocket must be used with caution. Tools will be hot after use. Best for sanitising



## TOOLS REQUIRED




AC8000027



AC8000028



AC8000030



AC8000028



AC0020004

# SUCTION TOOL

## INCLUDED

### For hard surfaces such as:

- Mirrors & Windows
- Car windscreen
- Tabletops & Benchtops

### For soft surfaces such as:

- Upholstery
- Curtains and blinds in situ

Suction tool has interchangeable inserts, available in 150mm and 250mm squeegee, and 150mm bristled insert. This tool can be used on a range of hard and soft surfaces.

### As window squeegee function:

This tool is suitable for glass surfaces including windows, shower screens and bathroom mirrors (fig. 1, 2 & 3). Attach the desired squeegee insert. Spray a stream of steam in a circular motion onto the glass surface to loosen any surface impurities. Then use the rubber squeegee blade to remove water condensation and clean the surface. Start from the top of the surfaces moving in a downward motion.

**Tips:** If using in areas with frosty climates, warm the windows or mirrors by spraying a high stream of steam for a slightly prolonged time before cleaning.

### As flat surface cleaner: Hard

Tool can be used on smooth surfaces such as stainless steel kitchen bench-tops and splash backs in domestic and commercial settings with squeegee inserts (fig. 4 & 5).


### As flat surface cleaner: Soft

To sanitise upholstery such as lounges, curtains in situ and mattresses, attach bristled insert, use medium level steam. This tool is also suitable for doors and bench-tops.

For delicate surfaces, or areas of concern we suggest the microfibre sockette. To attach, pull over bristled insert encasing the tool ensuring there are no gaps for steam to escape. Using low level steam only, gently wipe across surface to sanitise (fig. 6).

**Tips:** Use low level steam to reduce added moisture.

**Caution:** Using medium - high level steam or using activated steam for a prolonged period of time will increase the amount of moisture present. It is important to exercise caution when cleaning surfaces near or above power points. It is important to be conscious of drips when cleaning mirrors, windows, range hoods and bench-tops.  
Tools will be hot after use.




## TOOLS REQUIRED



AC8000023



AC0010022 AC0010023  
AC0010021 AC0010025



AC0010020 AC0010001  
AC0010024



Microfibre  
5 Pack AC0000009



AC0050001 AC0050002

# DETAIL NOZZLE

## INCLUDED

### For hard surfaces such as:

- Tiles & grout
- Sinks, Taps & Drains
- Oven grease
- Toilet seat hinges and side lip
- Sliding door tracks
- Shower recess & limescale

### Compatible Accessories:

- Brush Round Nylon 30mm, 38mm, 60mm
- Brush Round Brass 30mm, 38mm
- Brush Round Stainless Steel 30mm, 38mm
- Scraper
- Plunger
- Weed Killer Bell
- Vertical & Horizontal Vac Nozzles

Steam/Vac detail nozzle is a versatile tool and can run a range of attachments such as brushes, scraper, plunger, weed bell and vacuum nozzles. Tool can be used on its own for focused steam spray. Use a high quality microfibre cloth to collect residue.

For best results when cleaning grout, hold brush on angle to clean side of the grout line, and then tilt in other direction to clean the other side of the grout line (fig. 1).

Sanitise toilet lip and bowl, basins, drains and taps. Easy to access tricky spots with angled detail nozzle (fig. 2).


Circular motions and medium pressure will assist to remove baked on grease from ovens and cooktops (fig. 3 & 4) in commercial kitchens. The 38mm brush size is recommended. Tip: Firmly press a plastic steel wool into the brush, this can accelerate your clean with an abrasive scratch-proof surface.

Steam into hard to reach areas such as sliding door tracks. Detail nozzle can aid access to otherwise difficult to clean areas (fig. 5).

Attach vacuum nozzles to tool for complete cleaning. Using low to medium steam, target areas with nozzle, deactivate steam, change angle of tool, activate vacuum and suck up any dislodged dirt and grime. The horizontal vac tool is great for use on flat areas in particular when targeting tiles & grout (fig. 4), vertical vac tool is great for skirting boards, edges and between furniture.

**Tip:** Stainless steel/brass brushes can be fitted onto detail nozzle to scrub off certain hard-to-remove stains in nooks and crannies. Stainless steel is particularly effective on grout. When cleaning a new surface, always start with nylon, then progress to brass, then stainless steel. This will ensure you do not damage/scratch surfaces.

**Caution:** Be wary that the stainless steel and brass brushes may scratch certain surfaces, leaving unwanted scratch marks. Always test areas in an inconspicuous spot before proceeding. Tools will be hot after use.



## TOOLS REQUIRED



AC8000024



Microfibre  
5 Pack

# DETAIL NOZZLE W/ EXTENSION

## INCLUDED

### For hard surfaces such as:

- Grout lines
- Skirting boards and corner grout
- Sinks, Taps & Drains
- Toilet seat hinges and side lip
- Sliding door tracks

Steam and Vac detail nozzle w/ extension is a specified tool for hard to reach areas such as around bathroom fittings, toilet seat hinges, sanitise toilet lip and bowl, bath, basins, drains and taps. (fig. 1, 2 & 3). Use a high quality microfibre cloth to collect residue and leave surface dry.

Steam hard to reach areas such as sliding door tracks, behind & underneath furniture. Detail nozzle w/ extension can aid access to otherwise difficult to clean areas (fig. 6).

**Tip:** This tool should not be used with any pressure and brushes should not be put on the end of the nozzle as this is not a tool for brushing or scrubbing.

# UPHOLSTERY TOOL

## OPTIONAL

### For soft surfaces such as:

- Upholstery
- Carpet spot cleaning



AC8000067

For deep cleaning fabric upholsteries such as sofas, office chairs, car seats, car fabric interiors and particularly effective on car carpet. For best results pre-spray with mild degreaser or water, activate steam to breakdown oils and grime, then activate vacuum. Switch off steam, continue to vacuum residue until desired dryness.



## TOOLS REQUIRED



AC8000041



AC8000005



AC0030001



Microfibre  
5 Pack



Disposable Microfibre  
Floor Pad

# RECTANGLE FLOOR BRUSH

## OPTIONAL STEAM ONLY

### For hard surfaces such as:

- Tiles & Grout
- Marble
- Most sealed hardwood
- Linoleum & Vinyl
- Non-slip surfaces

### For sanitising soft surfaces such as:

- Carpet
- Mattresses
- Upholstery

The Rectangular Floor Brush is an excellent tool where agitation is required. The brush features a tough row of nylon bristles along the perimeter of the tool. This is a great tool for maintenance floor cleaning, where little pressure is applied with use of high quality microfibre. This brush can also be used to scrub off hard-to-remove dirt and built up grime on hard floors, mould and limescale in shower recess, moss and algae on outdoor tiles in particular around a pool, spa, or garden bed with excess moisture.

Begin with low level steam to loosen bacteria and grime, introduce light scrubbing with or without steam activated (as required). In stubborn areas use level 2 or 3 steam followed by moderate brushing (fig.1).

This tool can be fitted with microfibre cloth to be used as a steam mop with trailing microfibre to clean and sanitise floors (fig.2). Simply attach microfibre to rear clips on top of the tool. Steam surface, scrub if required, turn off steam, flip microfibre around the base of the tool to mop up residue (fig.3)

The tool can also be fitted with cushion and microfibre encasing the floor tool. This creates a superheated steam pocket to effectively sanitise carpets, upholstery, mattresses stairs and floors (fig.4 & 5). Ensure microfibre is wrapped tightly in a nappy fold and secured to the tool using the rear and front clips.

Disposable microfibre are recommended for cleaning areas such as bathroom floors or areas where infection prevention & disposal of contaminated products is required. Insert cushion, attach disposable microfibre securing to each end of the tool (fig.6).

**Tips:** Use low level steam when steaming through microfibre/cushion. Use in sweeping motion reducing exposure in one position. Patch test on sensitive surfaces.

**Caution:** When cushion and microfibre wrap are being used, the cushion retains more moisture and traps heat. This superheated steam pocket must be used with caution. Tools will be hot after use. Best for sanitising and killing bacteria.



1.



2.



3.



4.



5.



6.

## TOOLS REQUIRED



AC8000041



AC8000061



AC0030002



Microfibre  
5 Pack



Disposable  
Microfibre

# TRIANGLE BRUSH

OPTIONAL STEAM ONLY

### For hard surfaces such as:

- Tiles & grout
- Skirting boards
- Corner work on walls, floors, ceilings
- Benchtops
- Range hoods
- Cupboard & under bench storage
- Shower Recess and vanity

### For sanitising soft surfaces such as:

- Mattresses
- Upholstery
- Lounges and seats
- Curtains
- Car seats & car mats

The Triangle Brush is a wonderfully versatile medium sized tool. The brush features a tough row of nylon bristles along the perimeter of the tool. This is a great tool for quick surface sanitising where little pressure is applied with use of high quality microfibre. This brush can also be used to scrub off hard-to-remove dirt and built up grime in hard to reach areas such as skirting boards, range hoods, corner areas, ceilings, under bench or cupboard storage.

Begin with low level steam to loosen bacteria and grime, introduce light scrubbing with or without steam activated (as required). In stubborn areas use level 2 or 3 steam followed by moderate brushing (fig.1).

The tool can be fitted with cushion and microfibre encasing the brush. This creates a superheated steam pocket with a smooth surface to effectively sanitise a range of hard and soft surfaces such as smooth benchtops, skirting boards, upholstery, mattresses and curtains (fig.3,4,5). Ensure microfibre is wrapped tightly in a nappy fold and secured to the tool using the clips (fig.2). The Triangle brush features a 360° pivot neck with the ability to lock into three different places (fig.2).

Disposable microfibre is recommended for cleaning areas where infection prevention and disposal of contaminated products is required such as cleaning mould. Insert cushion, attach disposable microfibre securing to the tool (fig.6). Dispose after use.

**Tips:** Use low level steam when steaming through microfibre/cushion. Always use in sweeping motion reducing exposure in one position. Patch test on sensitive surfaces.

**Caution:** When cushion and microfibre wrap are being used, the cushion retains more moisture and traps the heat. This superheated steam pocket must be used with caution. Tools will be hot after use. Best for sanitising and killing bacteria.



# MICROFIBRE FOLD TECHNIQUE FOR RECTANGLE & TRIANGLE BRUSH

How to effectively wrap your rectangular floor brush and/or triangle brush with a high quality reusable or disposable microfibre cloth. This creates a superheated steam pocket with a smooth surface to effectively sanitise a range of hard and soft surfaces such as smooth benchtops, skirting boards, upholstery, mattresses and curtains.


Disposable microfibre are recommended for cleaning areas where infection prevention and disposal of contaminated products is required such as cleaning mould spores. Insert cushion, attach disposable microfibre cloth securing to the tool.

## STEPS:

1. Lay microfibre flat on bench top
2. Fit tool with appropriate fitted cushion
3. Place tool on microfibre cloth
  - a. For triangle brush position slightly to left or right to ensure enough reach for nappy fold to effectively encase the tool.
4. Fold microfibre cloth across the back of the tool securing with the clips
5. Fold corner by corner, making sure all edges are secure
6. Ensure microfibre is wrapped tightly in a nappy fold and secured to the tool using the clips.
7. Where microfibre cannot fully encase tool, it is important to remember steam will leak from that area, keep fingers clear when cleaning.
8. When microfibre is saturated, remove wet cloth and replace with dry cloth.

**Tips:** Use low level steam only when steaming through microfibre and/or cushion. Always use in sweeping motion reducing long exposure in one position. Patch test on sensitive surfaces.

**Caution:** When cushion and microfibre wrap are being used, cushion retains moisture and traps heat. This superheated steam pocket must be used with caution. Tools will be hot after use. Best for sanitising surfaces and killing bacteria.



## TOOLS REQUIRED



AC8000041



AC8000006



AC0010023  
AC0010025



AC0010001



AC0000009

# FLOOR MOP & WALL MOP HEADS

## OPTIONAL STEAM ONLY

### For hard surfaces such as:

- Tiles & Grout
- Marble
- Most sealed hardwood
- Linoleum & Vinyl
- Kitchen Splash-back
- Walls
- Ceilings

Steam mop head and fitted microfibre pad create a superheated steam mop pad with a smooth surface to effectively sanitise a range of hard surfaces such as benchtops, splash-backs, walls and ceilings. Ensure microfibre pad is secured correctly and tightly to the tool using the straps. The Wall & Floor Mop Heads feature a 360° pivot neck for effortless mopping and high manoeuvrability.

### FLOOR MOP 390mm

For cleaning non-carpeted hard-floor surfaces. Use low steam flow and move forwards and backwards quickly over the floor surface for a sanitised surface clean. Large mop head makes for easy and quick surface sanitising on large areas. Pivot arm allows for ease of use under furniture such as tables and chairs.

### WALL MOP 250mm

For hard wall surfaces and ceilings. Use low level steam for cleaning dirt, dust, marks and food stains off walls and splash-backs moving quickly over the surface. Can also be used to sanitise walls in kitchens and other areas such as cupboards & laundry ceiling.

Tools can be interchangeable but we recommend the floor tool be used for floors and wall tool be used for walls and ceiling. When lifting tools above hip height, the weight of the tool is more noticeable. If using Floor Head on walls or ceilings be cautious technique and possible back strain.

**Tips:** Use low level steam only when steaming through microfibre. Always use in sweeping motion reducing long exposure in one position. Surface will be left hot and slightly damp. Due to the residual heat, surfaces will dry quickly

**Caution:** Microfibre retains moisture and traps heat. Exercise Caution when handling or changing microfibre cloths as they retain heat and may cause burns when saturated. Tools will be hot after use. Best for sanitising and killing bacteria.



## TOOLS REQUIRED



AC8000023



AC8000004

# PLUNGER

OPTIONAL

### For surfaces such as:

- Kitchen sink
- Bathroom sink

Plunger accessory fits on the end of the detail nozzle. It can then be placed over a sink drain for bathroom and kitchen use (fig 1, 2 & 3). By blocking the sink, pressure builds up and pushes steam through the s-bend. This can effectively remove blockages and deodorise sink drains.

**Caution:** Be wary if your sink has an overflow, that steam will escape and may cause injury. Ensure the overflow is covered tightly with a material which will not heat up and burn you.

# WEED KILLER BELL

OPTIONAL



AC8000023



AC0000021

### For surfaces such as:

- Cracks in tiles & grout
- Stairs
- Garden Edge

Take your steam cleaner into the garden with our Weed bell attachment. Cover weed with bell ensuring centre of steam spray is directed at weed. With downward pressure and medium steam, hold down over weed for 10-15 seconds. Some weeds depending on size or type may take longer to kill. Assess the results and repeat process up to a week after first application (fig 4, 5 & 6).



## TOOLS REQUIRED



AC8000165

# AROMA THERAPY OIL DIFFUSER

OPTIONAL STEAM ONLY

### For uses such as:

- Salons & Spas
- Living Room

Aroma Therapy Oil Diffuser is an easy to use oil diffuser. Simply click the tool directly into the hose outlet, take the top lip off, add a few drops of your preferred essential oil onto the blue round foam, place the top lip back on the tool and there you have it. The high volume of steam will fill a room leaving it beautifully refreshed (fig. 4 & 5).

**Caution:** There is no on/off switch on the accessory. Once it is plugged into the machine if the machine is on, steam will immediately start. It is recommended to momentarily switch the machine off before inserting the Aroma therapy tool, then switching the machine back on when you are ready and hands are clear from the tool.

Refer to Aroma Therapy Information Slip before use.



AC8000124

# DELUXE STEAM IRON

OPTIONAL

Deluxe Steam Iron is a simple one button iron. Comes with silicon rest ensuring the iron can be placed on a heat safe surface. The Iron is plugged directly into the hose socket. Steam iron functions as a regular iron; for steam activation, turn the dial to indicate steam level and pull trigger (fig. 5 & 6). Experiment with level of steam required for desired outcome.

**Tip:** Long exposure may saturate fabrics. Before activating steam point iron away from garment to release condensation from within the hose.

**Caution:** Hot water will cause burns. Exercise caution.


Refer to Deluxe Iron Information Slip before use.



## TOOLS REQUIRED



AC8000041



AC8000065

# ALUMINIUM LONG NOZZLE

OPTIONAL STEAM ONLY

### For surfaces such as:

- Engine Bay
- Wheels and Rims
- BBQ & Oven
- Vents and pipes

The Aluminium Long Nozzle can be used to access difficult to reach areas, such as engine bays, wheel rims, back of BBQ etc. This straight nozzle acts as a slim extension which can fit into narrow areas and under furniture. Can be used in drains, through grates, into range-hood and exhaust, to aid cleaning out of reach areas.

# TROLLEY

OPTIONAL



AC8000411

### Recommended for the following uses;

- Hospitality
  - Accommodation Venues
  - Restaurant & Bar
- Health & Aged Care
  - Hospital & Aged Care Facilities
  - Doctors & Dental
  - Physio & Chiro
- Education & Childcare

Trolley to suit SV6 has a sturdy 4 wheel base with bucket for tool. Hooks for hoses to hang make for easy tidy transport for your machine.





**1300 79 50 50**

208/27 Mars Rd, Lane Cove NSW 2066

[info@steamaustralia.com.au](mailto:info@steamaustralia.com.au)

[www.steamaustralia.com.au](http://www.steamaustralia.com.au)